## **Material Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

## **U.S.** Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072



IDENTITY (As Used on Label and List)	Note: Blank spaces are not permitted. If any
WindowAlert UV Liquid	item is not applicable, or no information is available, the space must be marked to
(Formulation #48)	indicate that.

### **Section I**

Manufacturer's Name Advanced Polymer Solutions LLC	Emergency Telephone Number (516) 621-5800
Address (Number, Street, City, State, and ZIP Code) 99 Seavlew Blvd., Port Washington, NY 11050	Telephone Number for Information (516) 621-5800
	Date Prepared 7/27/2012
WindowAlert	Signature of Preparer (optional)

# **Section II - Hazardous Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	%(optional)
Urethane based pre-polymer, monomer,	additives,	solvents		
Vehicle solid 3% to 5%,				
Additives- Less than 1.0% Butyl carbitol – 15.0% to 17.0%, Isop Water-40.0% to 43.0%	ropyl alco	hol- 30.0%	to 33.0%	

# **Section III - Physical/Chemical Characteristics**

Boiling Point Not Available	Specific Gravity (H₂O = 1) Not Available	
Vapor Pressure (mm Hg)	Melting Point	
Not Available	Not Available	
Vapor Density (AIR = 1)	Evaporation Rate	
Not Available	(Butyl Acetate = 1) Not Available	

attention immediately			
arcinogenicity: NTP? ot available Not available		IARC Monographs? Not available	OSHA Regulated? Not available
Signs and Symptoms Not available	of Exposure		
Medical Conditions Ge	nerally Aggravated by E	xposure	
Emergency and First / Skin: remove contami water & seek medical	inated clothing, flush wit	th water. Eyes: Flush with	large quantities of

## **Section VII - Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material is Released or Spilled

Absorb spill with an absorbent material and place into a closed container. If large spill occurs, that area to prevent the material from entering water or sewage system

#### Waste Disposal Method

Wash to waster water treatment system and comply with Federal, State and Local regulations.

Precautions to Be taken in Handling and Storing

Store above 40°F. Spills are slippery

Other Precautions

not applicable

#### **Section VIII - Control Measures**

	otection <i>(Specify Type)</i> necessary under general co	onditions		
/entilation Local Exhaust required			Special eye wash station and safety showe Other not applicable	
	Mechanical (General) recommended			
Protective Gloves Chemical resistant gloves			Eye Protection wear face shield or chemical goggles	
	ve Clothing or Equipment re clothing to prevent skin co	ntact		
Work/Hygienion ot applicable				

\* U.S.G.P.O.: 1986 - 491 - 529/45775