

DOUBLE TROUBLE

WATERBASED RTU INSECTICIDE

Ready-to-use, kills on contact, long lasting, keeps killing German Cockroaches for up to 12 weeks, up to 9 months (36 weeks) on non-porous surfaces, non-staining, non-oily (greasy) residue, odorless, for use in and around horse stables, for use on house plants, for use on ornamental plants.

Kills Roaches, Ants and Fleas on contact. Kills Aphids, Bed Bugs, Mealy Bugs, Lace Bugs, Thrips, Leafminers and Mites.

Not for use on plants grown for sale or other commercial use.

ACTIVE INGREDIENTS:

*Deltamethrin	0.02%
OTHER INGREDIENTS	. 99.98%
TOTAL	100.00%

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le hava sido explicado ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA Reg. No: 44446-74 EPA Est. No:44446-TX-1

In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers, information may be obtained by calling 1-800-255-3924.

KEEP OUT OF REACH OF CHILDREN CAUTION

Read Side Panel for Additional Precautionary Statements

NET CONTENTS: 1 QUART

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION: Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of washwater or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Physical or Chemical Hazards

On not apply this product in or on electrical equipment due to possibility of shock

READ THE LABEL FIRST!

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with Spiders: Apply along and behind baseboards, to window and door frames, its lahelinn

General information: Hold container upright. Do not spray up into air. Apply to surfaces only as a soot and crack & crevice treatment. Hold approximately 12 inches from surface to be sprayed. Squeeze trigger to spray until surface is slightly and Ticks: Apply around doors and windows and other places where these pests moist but not to the point of runoff. Over application may cause damage. Test in an amy enter premises. For Ticks, soray surfaces until moist. Treat baseboards, storinconspicuous area before applying.

Do not allow children or nets to contact treated surfaces until soray has dried Double Trouble keeps on killing German Cockroaches for up to 3 months after you spray, 9 months on non-porous surfaces; keeps on killing Flies for up to 5 months after you soray

Double Trouble kills on contact Contact kill nives you immediate results when snravinn insects directly

Double Trouble Inserticide is intended to be used in and around residences and their immediate surroundings such as (but not limited to): anartments atriums attics automobiles basements bathrooms hoats cabins campers carports cat sleening quarters. clothes storage condominiums decks dens driveways garages, gazebos, homes, kitchens, lanais, living rooms, narlors natios net sleening areas play rooms norches rooms, utility rooms, and verandas. Do not use in commercial food handling establishments, restaurants, or other places where food is commercially nrenared or orocessed

INDOORS:

Cockroaches (including Adult And Immature Stages Of Both Non-Resistant And Organophosphate And Carbamate Resistant Strains), Ants, Boxelder Bugs, Centipedes, Crickets, Dermestids, Firebrats, Fleas, Palmetto Bugs, Silverfish, & crevice treatment to areas where these pests crawl and hide, especially in hid-where these insects are found. den areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refingerators, cabinets, sinks and stoves, the underside ment in closeds and other storage areas where these pests are found. This is an HOUSE PLANTS. To control Aphids, Japanese Beetles, Lace Bugs, shelves, drawers, bookcases, and similar areas. For Ticks, spray surfaces until adjunct treatment and will not control moth larvae already on clothes. Do not

moist. Cover all food handling surfaces and cover or remove all food and cooking apply to clothing. utensis or wash thoroughly after treatment. Exposed food should be covered or Bedbugs: themore lineas and wash befor reuse. Lightly spray mattresses, plants. Prior to spraying, remove plants from lining and eating areas. Put in an area removed. Repeat as necessary but not more than once per week.

Ants: Soray ant trails and around doors and windows and other places where before remaking bed.

Carpenter Ants: For effective control, locate and treat nests and surrounding OUTDOORS: areas. Apply around doors and windows and other places where ants enter premises. Remove all exposed food and cooking utensits. Cover all food handling surfaces sible. Repeat applications as necessary but not more than once per week. and where they crawl and hide. Spray into infested wood through existing openings. or wash thoroughly after treatment and before use. Do not use on edible crops.

Ticks: (Including Ticks That May Cause Lyme Disease) and Fleas ON SURFACES: Remove get bedding and destroy or clean thoroughly. Soray pet resting quarters until moist. Adult Fleas and Larvae contacted by spray. will be killed. Put fresh bedding down once spray has dried. On not spray animals directly. For best results, pets should be treated with an appropriate lies and/or PESTS ON OUTSIDE SUBFACTS OF BUILDINGS: For control of building infestation May be used on plants, as well as a multi-purpose spray in small ornamental tick control product registered for use on pets before allowing them to return to to Ants, Clover Mites, Crickets, and Sowbugs (Pillbugs). Spray gardens and for spot treatments to prevent insects from spreading into large the treated area. Spray rugs and carpets where infestations are bad, Delicate fabrics foundation of building where insects are active and may find entrance up to a garden areas. should be tested for staining in an inconspicuous area prior to use.

corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl

Centipedes, Ground Beetles, Pillbugs, Sowbugs, Scorpions age areas and other locations where these pests are found.

FLYING INSECTS: Houseflies, Gnats, Mosquitoes and Small Flying Moths: Spray localized resting areas, such as under eaves, porches, inside surfaces of window and door frames surfaces around light fixtures and cords rail ngs, etc. and anywhere these insects may rest. Insects coming to rest on treated surfaces will be killed.

HORSE STABLES: To control Stable Flies, Horn Flies, Houseflies, Face Flies Horse Flies, Deer Flies, Mosquitnes and Gnats Annly thoroughly to surfaces until wet. Insects coming to rest on treated surfaces. will be killed or repelled. Repeat treatment as necessary but not more than once made late in the evening when insects are at rest. equipment Controls Stable Flies for up to 4 months

PANTRY PESTS: Grain Beetles, (Rusty, Merchant and Sawrecreational vehicles, rooms, solariums, storage areas, sun Toothed), Flour Beetles (Red and Confused), Chocolate Eaves, purches, surfaces around light fixtures and cords, railings, etc. where these Moths. Cigarette Beetles. Clover Mites. Cluster Flies. Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Termites, Carpenter Ants and Carpenter Bees: (for localized control cracks and crevices behind and under cupboards and cabinets. Allow to dry prior such as crawl spaces. to replacement of shell paper, food, and utensils. Wash any exposed food handling For Termites, the purpose of such applications is to kill workers or winged surfaces and utensils before use

especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry

Also, treat your yard with a product registered for yard application.

For outdoor use only as an aid in controlling these insects

mately 12 inches from surface to be sprayed. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

height of 2 to 3 feet. Apply to outside surfaces of buildings where insects tend to May also be used on other plants such as African violets, asters, azaleas, bego congregate. Soray areas include (but are not limited to) screens window frames. nias camellias carnations chrysanthemums, delohiniums, doowood. English iw. eaves, porches, patios, parages, and refuse dumos. Repeat treatment as necessary eupnymus, fuschia, peraniums, crassula, prape vine. Kentia palm, laurel, marigolds but not more than once ner week

CRAWLING INSECTS: Ants. Cockroaches (Including Asian Cockrnaches) Centipedes, Crickets, Mole Crickets, Water Bugs, and Silverfish. Hold can 12 to 18 inches from surface to be treated and spray infested surface of natio or nicnic area, hitting as many insects as possible. Soray to slinhtly moisten the surface. Also soray lens of tables and chairs.

Ants: Spray freely around ant trails and hills. Spray around nests hidden under stens brickwork concrete, etc. Break apart accessible nests and spray freely on and around debris. Reneat as necessary but not more than once ner week

Lone Star Ticks, Dog Ticks, Crickets, and Fleas: Apply thoroughly to infestation in bushes, grass or weeds.

Wasps, Hornets, Yellow Jackets and Bees: Spray nests and other surfaces where hees may rest. Aim soray at nest openings. Applications should be

per week. Do not spray animals or humans, or apply to animal feed or watering FLYING INSECTS: Houseflies, Gnats, Mosquitoes, and Small Flying Moths: Suray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under insects may rest. Insects coming to rest on treated surfaces will be killed.

Grain Borers, Spider Beetles, and Tobacco Moths: Treat exposed only.) Apply Double Trouble Insecticide to voids or channels in damaged wood of stages. Remove all foodstuffs, utensils, and shelf paper from area to be treated. a structure, or to cracks, crevices, and spaces in and between wooden portions of Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in a structure or between wood and the foundation, in locations vulnerable to attack

forms which may be present in the treated areas at the time of application. Not Sowbugs, Ticks and Waterbugs, Controls German Cockroaches Carpet Beetles (Black, Furniture and Varied): Spray on and under recommended as sole protection against termites. For active infestations, get a for up to 3 months. 9 months on non-porous surfaces. Apoly as a spot and crack edges of floor coverings under rugs and furniture and in closets or other localities or ordersional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but are merely a supplement. For Manufactured By: QuestVapco Corporation Webbing Clothes Moths: Use this product as a crack and crevice treat.

Severe termite infestation, contact a professional pest control operator in your area.

Leafminers, Mealy Bugs, Mites, and Spider Mites on house not likely to come in contact with nets, children or food. Plants can be returned to original location when leaves dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Avoid spraying surrounding areas.

Apply spray to upper and lower surfaces of foliage. Avoid wetting blossoms if pos-

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dablias, asters and other ornamentals to kill .Jananese Reetles hit by soray as well as Point sprayer away from face. Hold sprayer on a slight downward angle, approxi- Whiteflies, Aphids, Armyworms, Lace Bugs, Mealy Bugs, Exposed Thrips Pavement Ants, Spiders, Spider and Red Mites, Clover Mites and Leafminers,

rhododendrons, rubber plants, snapdragons, stocks, wandering Jews, and zinnias, When spraying plants, do not operate closer than 18 inches. Use sweeping motion Be cautious about wetting tender foliage, young plants and new growth. Do not sorav plants when temperatures exceed 90°E DO NOT apply to vegetable plants or other plants used for food. Spray insects directly whenever possible

STORAGE AND DISPOSAL

(Household / Residential Use) Storage: Store in a cool do area inaccessible to children. Do not transport or store below 32°F (0°C) reezing occurs allow graduct to thaw and shake well before using Freezing lnes ont adversely affect nerformance

Container Disposal: Nonrefillable container. If empty: Do not euse or refill this container Place in trash or offer for recycling if available If nartly filled: Call your local solid waste anency for discosal instructions lever nlace unused nroduct down any indoor or outdoor drain.

(Commercial / Institutional / Industrial Use) Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in origina ontainer in areas inaccessible to children

Pesticide Disposal: Pesticide wastes are acutely hazardous. Imprope lisposal of excess pesticide, spray mixture or rinsate is a violation of Federal aw If these wastes cannot be disposed of by use according to label instruc tions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste reoresentative at the nearest EPA Regional Office for guidance Container Disposal: Nonrefillable container. Do not reuse or refill this ontainer Trinle rinse (or envivalent). Then offer for recycling or reconditioni or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

HMIS Ratings: Health 1. Flammability O. Reactivity 1. Personal A.

PO Box 624 - Brenham, TX 77834 Houston, TX . St. Louis, MO

ITEM 464000001-320T A2II ni sheM